

RITETACK

**MAKING YOUR
JOB EASIER AND
FASTER....
THAT'S RITE!**




SAVE MONEY, SAVE TIME, USE RITETACK

INSTANT GRAB CONSTRUCTION ADHESIVE

RITETACK IS A VERY HIGH QUALITY SINGLE COMPONENT MS POLYMER ADHESIVE WITH EXTREME INITIAL TACK!

SOME KEY FEATURES OF RITETACK ARE:

- Durable, permanently elastic, high modulus, high strength
- Eliminates the need for unsightly fixings or tiresome clamping & propping
- Significantly reduces labour time, no waiting around
- Isocyanate-, solvent-, phthalate, PVC and silicone free
- Totally UV, weather, water, moisture and mould resistant
- Odourless
- Easy to extrude and apply with correct equipment
- Grabs instantly to 200KGS vertically per SQM & 1000KGS horizontally per SQM when used to specification
- Cures with atmospheric humidity, which means adhesive has to be applied in stripes
- Retains Elasticity and is paintable
- Proven Worldwide



Erecting signs has never been easier, apply adhesive in strips then position, push and admire!



Doesn't this sign look great, assembled on site in less than half the time with no ugly fixings like screws and rivets!

Item Code	Description	Packing	1-11	12+
ET6-5000	Ritetack - 290ml - White	12 per box	\$19.90ea + GST	\$15.80ea + GST



Mirrors perfectly placed with Ritetack... no propping & in no time.

APPLICATIONS


- Brilliant for natural stone.
- Bonding for inside and outside applications, in the construction and industrial sectors.
- Universal, waterproof, assembly and construction adhesive for bonding of stone, concrete, mirrors, natural stone, plaster, polycarbonate, PS, PU, PVC, **polystyrene**, various plastics, ceramic tiles, enamel, copper, lead, zinc, aluminum, stainless steel, various metal, HPL and cement fiber boards, wood, glass, etc.
- Bodywork (automotive) and metal seams sealant (air ducts), or metal adhesive (can absorb vibrations).
- Structural bonding in vibrating constructions.



Apply the adhesive as required... beats drilling and screwing any day!



Place that sign or letter where you want it with confidence that where it will stay... no fixings needed!




Steel sections



Even wall trims, position and go



What makes installing fastwall faster than fast... you guessed it, Ritack!



A bead of ritack on each upright and away you go!



2 beads is all it takes!



No more nails, screws, props, disasters and time... ritack makes installing cornices easy



Tiling becomes a breeze with ritack.



Applying ritack in stripes on tiles.



Place tiles in position then with a push you walk away - couldnt be easier!



Making skirting boards easy to install

Packaging:	P.E. cartridges of 290 ml (12 per box)
Color:	white
Application temperature:	+5 / +40
Application rate:	10 g/min
Flow:	<2 mm
Density:	1,57 g/ml
Skin over time:	10-15 min
Curing after 24 hours:	3 mm
UV, weather and water resistant:	yes
Frost resistant till -15°C during transport:	yes
Shelf life between +5°C and +25°C:	12 month
Joint movement capability:	± 25%
Temperature resistance after curing:	-40 / +100
Shore-A hardness (3 s):	55
100% Modulu (MPa (N/mm ²):	1,4
Tensile strength (MPa (N/mm ²):	2,2
Elongation at break:	335%

TESTIMONIALS

After trying the Ritetack glue I was amazed at how good it was for my guys. We were building a wall and it was being screwed, filled, painted etc.. and I asked them to try the glue. It was so easy just to push it into place and it looks seamless. We have also tried it on a number of sign panels and found it to be quick, easy and strong. One of my staff commented that he had used it before in a previous company and his boss raved over it. I would highly recommend people to try it

David - QLD Signart Creations

We used Ritetack for CNC cut aluminium letters glued to the wall. It was great, fast & reliable. After application of Ritetack to the letters it was only position & a push & the job was done!

Mark - Damon Signs TAS

INSTANT GRAB CONSTRUCTION ADHESIVE